



SURFACING LEGEND:

- ① SURFACE – 4" DEPTH CI. 1/2" PG64-22 ASPHALT CONCRETE
- ② TOP COURSE – 2" DEPTH CRUSHED ROCK (5/8" MINUS)
- ③ BASE – 16" DEPTH BALLAST
- ④ CEMENT CONCRETE CURB & GUTTER (SEE CITY STD. PLAN 5-02)
- ⑤ CEMENT CONCRETE SIDEWALK (SEE CITY STD. PLAN 5-01)

ALTERNATE:

- SURFACE – 4" DEPTH CI. 1/2" PG64-22 ASPHALT CONCRETE
- TOP COURSE – 5" DEPTH ASPHALT TREATED BASE (ATB)
- BASE – 2' DEPTH CRUSHED SURFACING BASE COURSE

4-08	STD. PLAN NO.
-------------	---------------

APPROVED BY	REVISED DATE	CITY OF CENTRALIA ROADWAY SECTION LOCAL COLLECTOR STREETS
CITY ENGINEER	06/2017	